



pGINA CONFIGURATION


Step 1: Open pGina, select Plugin Selection tab.




Step 2: In Plugin Selection Tab, Double click Local Machine or Select local machine and click configure button below.




Step 3: Put check on "Require membership in one of the following local groups".




Step 4: Add Administrator and Users on Local Groups.




Step 5: Click Save Button.




Step 6: Put check on MySQL Authentication, Authorization and Gateway.




Step 7: Double click MYSQL or Select MySQL and click configure button below to configure it. Put the host, port, user name, password and MySQL database name.




Step 8: Select Gateway Tab.




Step 9: Add Gateway Rule. If a member of MySQL group "admin" add to local group "Administrators" and If a member of MySQL group "user" add to local group "Users". Then click add rule button.




Step 10: Click save button.




Step 11: Put check on MySQL Logger Notification.




Step 12: Double click MySQL Logger or Select MySQL Logger and click configure button below to configure it. Put the host, port, user name, password and MySQL database name.




Step 13: Put check all events.




Step 14: Click Save Button




Step 15: Select Plugin Order Tab. Make sure setting on authentication is local machine and authorization is MySQL.




Step 16: Click Save & Close Button.




Step 17: Select Simulation Tab.




Step 18: Type user name and password that create on Md5.



Step 19: Then click play button to simulate it.



Result appears below:



Note: If result true it means working.

Revision #3

Created Wed, Nov 3, 2021 4:01 AM by JJ

Updated Wed, Nov 3, 2021 8:12 AM by JJ